

Search for:	Search)

advertisement

Useful Sites

MediLexicon

News | Journals | Conferences | Blogs | Articles | Forums | Twitter

Home

Ask A Doctor Medical Professional Author Volunteer

Medical Reference
Diseases
Symptoms
Labs
Procedures
Drugs

Medical Specialty Cardiology Dermatology Endocrinology Fertility Gastroenterology Gynecology Hematology Infections Nephrology Neurology Oncology Orthopedics **Pediatrics** Pharmacv **Primary Care Psychiatry** Pulmonology Rheumatology Surgery Urology More ..

Category: Oncology | Pathology | Journal

Back to Journal Articles

Headlines:

New System Detects Tumor Cells Quickly

Last Updated: February 24, 2011.

A quantitative micro-nuclear magnetic resonance chip attached to a smart phone appears capable of quickly detecting tumor cells at a patient's bedside, with quicker turnaround and better accuracy than immunohistochemistry, according to research published in the Feb. 23 issue of Science Translational Medicine.

THURSDAY, Feb. 24 (HealthDay News) -- A quantitative micro-nuclear magnetic resonance (NMR) chip attached to a smart phone appears capable of quickly detecting tumor cells at a patient's bedside, with quicker turnaround and better accuracy than immunohistochemistry, according to research published in the Feb. 23 issue of *Science Translational Medicine*.

Jered B. Haun, Ph.D., of Harvard Medical School in Boston, and colleagues analyzed small samples of biopsied tissue from 50 patients to test a quantitative micro-NMR system and compare it with immunohistochemistry for diagnosing cancer.

The researchers note that the micro-NMR system correctly identified 44 patients with malignancies, which were later verified by standard diagnostic techniques. The team determined the new system to be 96 percent accurate in establishing a cancer diagnosis, compared with 84 percent



Device attached to smart phone may be more accurate than immunohistochemistry

Share |

Comments: (0)

Tell-a-Friend

Related

for immunohistochemistry. Further, the test yielded results in less than 60 minutes, compared with a standard three-day turnaround.

"Our quantitative point-of-care micro-NMR technique shows potential for cancer diagnosis in the clinic," the authors write.

Abstract

Full Text (subscription or payment may be required)

HealthDay. All rights reserved.

Previous: Equations Predict Quadriceps Strength in Knee Osteoarthritis

Next: Dietary Patterns May Influence Kidney Health

Reader comments on this article are listed below. Review our comments policy.

Submit your opinion:		
Name:		
Email:		
Location:		

URL: http://

Remember my personal information	
■ Notify me of follow-up comments?	
Submit Preview	
advertisement	

Are you a Doctor, Pharmacist, PA or a Nurse?

Join the Doctors Lounge online medical community

- Editorial activities: Publish, peer review, edit online articles.
- **Ask a Doctor Teams:** Respond to patient questions and discuss challenging presentations with other members.

Doctors Lounge Membership Application

Tools & Services: ☑ Follow us on Twitter | RSS News | Newsletter | Contact us

Copyright © 2001-2011 Doctors Lounge. All rights reserved. Medical Reference:
Diseases | Symptoms
Drugs | Labs | Procedures
Software | Tutorials

Advertising Links | Humor Forum Archive CME | Conferences Privacy Statement Terms & Conditions Editorial Board About us | Email We subscribe to the HONcode principles. Verify here