



FOUNDED BY BRIGHAM AND
AND MASSACHUSETTS GEN

Share | Like 1 retweet

Posted: Sep 16th, 2010

Novel chemistry amplifies ability of nanoparticles to detect rare cells

(*Nanowerk News*) One of the most promising characteristics of nanoparticles as diagnostic agents is the ability to attach to the nanoparticles surface any of a wide variety of targeting molecules that can increase the distinction between malignant and healthy cells, making it easier to spot small numbers of diseased cells within a sea of healthy cells. However, the development of such targeted nanoparticles has been hampered by the need to optimize the chemical methods used to link the targeting molecule to the nanoparticle for each unique combination of the two.

Now, a team of investigators at the Massachusetts General Hospital and Harvard Medical School has developed a chemical methodology that can be used to attach virtually any antibody to a nanoparticle without the need to optimize the reaction conditions. This team, led by Ralph Weissleder, who is a co-principal investigator of the MIT-Harvard Center of Cancer Nanotechnology Excellence, published their findings in the journal *Nature Nanotechnology* ("[Bioorthogonal chemistry amplifies nanoparticle binding and enhances the sensitivity of cell detection](#)").

Using a nanoparticle that is both magnetic and fluorescent and three different monoclonal antibodies known to target tumor-associated surface molecules, Dr. Weissleder and his collaborators applied what they call "bioorthogonal chemistry" to create nanoparticles that bind strongly to the targeted tumor types. They showed that binding took place with the proper cells using a novel miniaturized magnetic resonance detector system developed by the Weissleder team for use in point-of-care applications.

The investigators then compared the binding ability of their targeted nanoparticles with those prepared using one of the now-standard approaches for linking antibodies to nanoparticles. The new process created nanoparticles that stuck to their targeted cells with 10 to 15 times the avidity of those nanoparticles prepared with standard methods. In addition to improving the sensitivity of tumor cell detection using targeted nanoparticles, this new chemistry could also improve strategies for developing targeted drug delivery applications.




Source: *National Cancer Institute*

Share | Like 1 retweet

Subscribe to a free copy of our daily
Nanowerk Nanotechnology News Email Digest
with a compilation of all of the day's news.



Nano-scale
elemental analysis
with EDS



In the final the
first 3 places are
awarded

2500\$

1500\$

1000\$

Article Tools

- Printer-friendly
- E-mail this article
- Daily News Email Digest
- News Feeds
- Join us on Facebook
- Follow us on Twitter

Research/General News

(click here for Business News)

Nanomanufacturing center to
cooperate with federal health
agency on nanotechnology
safety

Posted: Sep 22nd, 2010

Harnessing the potential of the
oddy-shaped molecule

Posted: Sep 22nd, 2010

Research gives insight into using
graphene in electronics

Posted: Sep 22nd, 2010

Gemeinsame deutsch-
japanische Exzellenz-Forschung
auf dem Gebiet

Halbleitertechnologie und
Halbleitermaterialien

Posted: Sep 22nd, 2010

Nanotechnology research
cooperation between NSF's E3S
Center and German Leibnitz
Institute

Posted: Sep 22nd, 2010

Engineers find a way to convert
carbon-dioxide emissions to
useful building materials

Posted: Sep 22nd, 2010

Rice University's award-winning
NanoJapan program wins \$4M
grant

Posted: Sep 21st, 2010

Fiber optic interface to link
robotic limbs, human brain

Posted: Sep 21st, 2010

Research project launched on
the digital printing of single
biological cells

Posted: Sep 21st, 2010

EU-Forschungsprojekt zum
digitalen Drucken einzelner
biologischer Zellen gestartet

Posted: Sep 21st, 2010

Scientists using lasers to cool
and control molecules

Posted: Sep 21st, 2010

Certain doped-oxide ceramics
resist Ohm's Law

Posted: Sep 21st, 2010

Watching electrons move in real
time

Posted: Sep 21st, 2010

Ultrashort laser ablation enables
novel metal films

Posted: Sep 21st, 2010

New report on engineered
nanoparticle risk

Posted: Sep 21st, 2010

European project solves